

Chaos reigns even in simple electronics

THE HENRYK NIEWODNICZANSKI INSTITUTE OF NUCLEAR PHYSICS POLISH ACADEMY OF SCIENCES

It's really surprising: it turns out that among simple electronic circuits, built of just a few components, many of them behave chaotically, in an extremely complicated, practically unpredictable manner. Physicists from the Institute of Nuclear Physics Polish Academy of Sciences in Cracow have discovered, examined and described dozens of new, unusual circuits of this type. What is especially interesting is that one of the circuits generates voltage pulses very similar to those produced by neurons, only it does so a thousand times faster.

Just a few transistors, resistors, capacitors and induction coils are enough to build electronic circuits that behave in a virtually unpredictable way. Even in such simple systems chaotic oscillations of a complex nature turn out to be not the exception but the norm, according to researchers from the Institute of Nuclear Physics Polish Academy of Sciences (IFJ PAN) in Cracow. In a paper published in the journal *Chaos*, they have presented 49 new, unusual chaotic electronic oscillators - not designed but discovered by computer simulations.

"Electronics is usually associated with devices that work precisely and always according to expectations. Our research shows a completely different picture. Even in electronic circuits containing only one or two transistors, chaos is ubiquitous! The predictable and always the same reactions of electronic devices that we all use on an everyday basis do not reflect the nature of electronics but the efforts of designers", says the first author of the paper, Dr. Ludovico Minati (IFJ PAN).

By chaos we generally mean lack of order. In physics, this concept works a little differently: circuits are said to behave chaotically when even very small changes in input parameters result in large changes in output. Since various types of fluctuations are a natural feature of the world, in practice chaotic systems show an enormous wealth of behaviour - so great that precise prediction of their reactions is very difficult, and often impossible. The circuit can thus seem to be behaving quite randomly, even though in fact its evolution follows a certain complicated pattern.

Chaotic behavior is so complex that to this day there are no methods to effectively design electronic circuits of this type, so physicists from the IFJ PAN approached the problem differently. Instead of building chaotic oscillators from scratch, they decided to... discover them. The structure of the circuits, made up of commercially available components, was mapped as a sequence of 85 bits. In the maximum configuration the modelled circuits consisted of a power source, two transistors, a resistor and six capacitors or induction coils, connected in a circuit containing eight nodes. The strings of bits thus prepared were then subjected to random modifications. The simulations were made on the Cray XD1 supercomputer.

"Our search was blind, in a gigantic space offering 2 to a power of 85 possible combinations. During the simulation we analyzed more or less two million circuits, so an extremely small area of the available space. Of these, about 2,500 circuits exhibited interesting behaviour",

Media Contact

Dr. Ludovico Minati
ludovico.minati@ifj.edu.pl
48-126-628-241

<http://www.ifj.edu.pl/?lang=en>



IMAGE: MANY SIMPLE ELECTRONIC SYSTEMS CAN BEHAVE IN A DIFFICULT TO FORESEE, CHAOTIC MANNER, AS SHOWN BY RESEARCHERS FROM THE INSTITUTE OF NUCLEAR PHYSICS POLISH ACADEMY OF SCIENCES IN CRACOW. THE... [view more >](#)

CREDIT: SOURCE: IFJ PAN

says Dr. Minati, and emphasizes that chaotic electronic oscillators were known about previously. Up to now, however, it seemed that they occurred in only a few variants, and that their construction required some effort and an appropriately complex system.

Physicists from the IFJ PAN analyzed the behavior of the new circuits using the SPICE program, commonly used in the design of electronic circuits. However, in the case of chaotic behaviour, SPICE's simulation capabilities turned out to be insufficient. So the 100 most interesting circuits were physically built and tested in the laboratory. In order to improve the quality of the signals generated during the tests, delicate tuning of the component parameters was often performed. Eventually the number of interesting circuits was reduced to 49. The smallest chaotic oscillator consisted of one transistor, one capacitor, one resistor and two induction coils. Most of the circuits found showed non-trivial, chaotic behaviour with a sometimes astonishing scale of complexity. This complexity can be visualized using special graphs - attractors, geometrically reflecting the nature of changes in the circuit over time. Statistical analyses of the signals generated by the new oscillators did not, however, reveal any traces of two important features found in many self-organizing systems: criticality and multi-fractality.

"We could talk about multi-fractality if different portions of the voltage variation diagram, magnified in different places in different ways, revealed changes similar to the original characteristics. In turn, we would be dealing with criticality if the circuit was in a state in which it could at any moment switch from regular to chaotic mode or vice versa. We did not notice these phenomena in the examined oscillators", explains Prof. Stanislaw Drozdz (IFJ PAN, Cracow University of Technology) and adds: "Critical systems generally have more opportunities for reacting to changes in their own environment. So it is no wonder that criticality is a phenomenon quite often encountered in nature. A lot points to the fact that a system operating in a critical condition is, for example, the human brain."

Of particular interest was one of the found oscillators, which generated voltage spikes resembling stimuli typical for neurons. The similarity of impulses was striking here, but not complete.

"Our artificial neuron analogue proved to be much faster than its biological counterpart: pulses were produced thousands of times more often! If it were not for the lack of criticality and multi-fractality, the speed of operation of this circuit would justify talking about an electronic super-neuron. Perhaps such a circuit exists, only we have not found it yet. At the moment, we have to be satisfied with our 'almost super-neuron', " comments Dr. Minati, with a smile.

The Cracow-based physicists have also demonstrated that as a result of combining the found circuits in pairs, behaviours of even greater complexity appear. Coupled circuits in some situations worked perfectly synchronously, like musicians playing in unison, in some one of the circuits took over the role of leader and in still others the mutual inter-dependence of the oscillators was so complicated that it was revealed only after careful analysis of statistics.

In order to accelerate the development of research into electronic systems that simulate the behaviour of the human brain, the diagrams of all the circuits found by physicists from the IFJ PAN have been made public. Anyone interested can download them from:
<ftp://ftp.aip.org/epaps/chaos/E-CHAOEH-27-012707>

The Henryk Niewodniczanski Institute of Nuclear Physics (IFJ PAN) is currently the largest research institute of the Polish Academy of Sciences. The broad range of studies and activities of IFJ PAN includes basic and applied research, ranging from particle physics and astrophysics, through hadron physics, high-, medium-, and low-energy nuclear physics, condensed matter physics (including materials engineering), to various applications of methods of nuclear physics in interdisciplinary research, covering medical physics, dosimetry, radiation and environmental biology, environmental protection, and other related disciplines. The average yearly yield of the IFJ PAN encompasses more than 600 scientific papers in the Journal Citation Reports published by the Thomson Reuters. The part of the Institute is the Cyclotron Centre Bronowice (CCB) which is an infrastructure, unique in Central Europe, to serve as a clinical and research centre in the area of medical and nuclear physics. IFJ PAN is a member of the Marian Smoluchowski Krakow Research Consortium: "Matter-Energy-Future" which possesses

the status of a Leading National Research Centre (KNOW) in physics for the years 2012-2017. The Institute is of A+ Category (leading level in Poland) in the field of sciences and engineering.

###

CONTACTS:

Prof. Stanislaw Drozdz
The Institute of Nuclear Physics of the Polish Academy of Sciences
tel.: +48 12 6628220
email: stanislaw.drozdz@ifj.edu.pl

Dr. Ludovico Minati
The Institute of Nuclear Physics of the Polish Academy of Sciences
tel.: +48 12 6628241
email: ludovico.minati@ifj.edu.pl

SCIENTIFIC PAPERS:

„Atypical transistor-based chaotic oscillators: Design, realization, and diversity”

L. Minati, M. Frasca, P. Olswiecimka, L. Faes, S. Drozdz

Chaos 27, 073113 (2017)

DOI: <http://dx.doi.org/10.1063/1.4994815>

LINKS:

<http://www.ifj.edu.pl/>

The website of the Institute of Nuclear Physics of the Polish Academy of Sciences.

<http://press.ifj.edu.pl/en/>

Press releases of the Institute of Nuclear Physics of the Polish Academy of Sciences.

IMAGES:

IFJ171018b_fot01s.jpg

HR (dark): http://press.ifj.edu.pl/news/2017/10/18/IFJ171018b_fot01a.jpg

HR (light): http://press.ifj.edu.pl/news/2017/10/18/IFJ171018b_fot01b.jpg

Many simple electronic systems can behave in a difficult to foresee, chaotic manner, as shown by researchers from the Institute of Nuclear Physics Polish Academy of Sciences in Cracow. The image shows a device built from two recently discovered oscillators. In the background are so-called attractors, illustrating the diversity and richness of behaviour of the new circuits. (Source: IFJ PAN)

IFJ171018b_fot02s.jpg

HR (dark): http://press.ifj.edu.pl/news/2017/10/18/IFJ171018b_fot02a.jpg

HR (light): http://press.ifj.edu.pl/news/2017/10/18/IFJ171018b_fot02b.jpg

Chaotic voltage changes are common even for electronic circuits made up of only several elements. In the top left corner is a diagram of the simplest chaotic oscillator found by physicists from IFJ PAN in Cracow. On the right, a series of pulses showing a great resemblance to neural activity, generated by one of the newly discovered circuits. In the lower row several so-called attractors, illustrating the complexity of behaviour of the new circuits. (Source: IFJ PAN)

Disclaimer: AAAS and EurekAlert! are not responsible for the accuracy of news releases posted to EurekAlert! by contributing institutions or for the use of any information through the EurekAlert system.